



992 OLD EAGLE SCHOOL ROAD, SUITE 916
WAYNE, PENNSYLVANIA 19087
215-687-9510



8506-14-17
ORIGINAL
our 3^(Red) year
FE

January 16, 1986
R-585-8-5-22
68-01-6699

Mr. Harold Byer
U.S. Environmental Protection Agency
841 Chestnut Building
Ninth and Chestnut Streets
Philadelphia, PA 19107

Subject: Peer Review Comments
TDD No. F3-8506-14
Pigeon Point Landfill
New Castle, Delaware

Dear Mr. Byer:

Submitted herewith are the responses to peer review comments by Laura Boornazian for the subject project.

The following changes have been made within the report.

- o Additional information (data) obtained from the Delaware Solid Waste Authority by Laura Boornazian supports release of contaminants to groundwater from the site. The Hazard Ranking System (HRS) has been changed from a scoring based on potential release to groundwater to a scoring based on observed release.
- o Based upon the additional information, new compounds have been evaluated under toxicity/persistence.

If you have any further questions, please contact me.

Respectfully submitted,

Reviewed by,

Approved by,

non responsive based on revised scope

non responsive based on revised scope

non responsive based on revised scope

Geologist

Senior Staff Scientist

Manager, FIT III

non responsive based on revised scope